

INDEX OF AUTHORS AND SUBJECTS

Vol. 111

- ALCOCK, J., Observational learning in three species of birds, 308-21.
 ANTARCTICA, 627-8.
 ARGENTINA, 239-40.
 ARMSTRONG, E. A., Nest-site selection by the Wren (letter), 257-8.
 ASH, J. S., Spring weights of trans-Saharan migrants in Morocco, 1-10.
 Midwinter notes from Tenerife, 618-9.
 See FRY, C. H.
 ASIA MINOR, 238-9, 617-8, 620-1.
- BALDWIN, D. H., see BARLOW, J. C.
 BANNERMAN, D. A., Probable record of Canarian Black Oystercatcher (letter), 257.
 BARLOW, J. C., DICK, J. A., BALDWIN, D. H., and DAVIS, R. A., New records from British Honduras, 399-402.
 BÉDARD, J., Adaptive radiation in Alcidae, 189-98.
 BELL, B. D., and HORNBY, R. J., Polygamy in *Emberiza schoeniclus*, 402-5.
 BENSON, C. W., Collecting of rare birds (letter), 113.
 BERGE, J. V., see HUDSON, G. E.
 BLACKMAN, R. A. A., see GAYMER, R.
 BOLIVIA, 599-608.
 BOURNE, W. R. P., Sequence of bird lists (letter), 114.
 Breeding,
 Ampelion rubrocristatus, 604.
 Aptenodytes forsteri, 627-8.
 Circaetus fasciolatus, 390-1.
 Diomedea irrorata, 97-8.
 Emberiza schoeniclus, 402-5.
 Larus fuliginosus, 30-5.
 Leptasthenura yanacensis, 601-2.
 Lyrurus tetrix, 395-9.
 Passer domesticus, 36-47.
 Passer eminibey, 300-7.
 Pelecanus onocrotalus, 199-237.
 Phrygilus plebejus, 607.
 Pseudonigrita arnaudi, 300-7.
 Puffinus lherminieri, 139-156.
 Rynchops flavirostris, 593-8.
 Schizoeaca harterti, 602-3.
 Sula sula, 357-85.
 BRITISH HONDURAS, 399-402.
 British Ornithologists' Union,
 B.O.U. Endowment Fund, 643-6.
 Conference, 440-8.
 Honours and Awards, 429-30.
 Meetings, 278-9, 439-40.
 Reports, 279-80, 431-8.
 Research policy, 137.
 Research Report, 449-52.
 Rules, 453-6.
 BROOKE, R. K., see BENSON, C. W.
 BROWN, L. H., First breeding record for *Circaetus fasciolatus* in Kenya, 390-1.
- BROWN, L. H., and URBAN, E. K., Breeding biology of *Pelecanus onocrotalus*, 199-237.
 BURTON, P. J. K., Bird specimens from Cook's voyages, 388-90.
- CANARY ISLANDS, 257, 618-9.
 CHAGOS ARCHIPELAGO, 101-2.
 CHAPMAN, S. E., Pacific winter quarters of *Xema sabini*, 615-7.
 COE, M. J., see MODHA, M. L.
 COLLINS, C. T., Shearwater records for Trinidad and Tobago, 251-3.
 CORLEY SMITH, G. T., *Oreotrochilus chimborazo* on Cotopaxi, 17-22.
- DAVIS, R. A., see BARLOW, J. C.
 DAWSON, P. G., see GAYMER, R.
 DE LUCCA, C., Bird migration over Maltese Islands, 322-37.
 DESFAYES, M., Affinities of *Chaimarrornis* and *Rhyacornis*, 244-6.
 DICK, J. A., see BARLOW, J. C.
 DRIVER, P. M., and HUMPHRIES, D. A., High-intensity alarm calls in captured passerines, 243-4.
- EBBELS, D. L., Pollination of *Puya chilensis* by *Turdus merula* in Isles of Scilly, 615.
 ECUADOR, 17-22.
 Egg white proteins, 80-91.
 EGYPT, 257.
 ETHIOPIA, 199-237.
 EVANS, P. H. G., see NEWELL, R. G.
- FARKAS, T., Biology of *Cossypha natalensis*, 281-92.
 FERGUSON-LEES, I. J., see FRY, C. H.
 Food,
 Strix aluco, 293-9.
 Tringa totanus, 338-56.
 FRETWELL, S. D., Adjustment of birth-rate to mortality in birds, 624-7.
 FRY, C. H., Recognition and treatment of insect prey by bee-eaters, 23-9.
 Evolution and systematics of bee-eaters, 525-57.
 FRY, C. H., FERGUSON-LEES, I. J., and ASH, J. S., Mite lesions in Sedge Warblers and bee-eaters in Africa, 611-2.
- GALAPAGOS, 30-5, 97-8, 139-56, 357-85.
 GAYMER, R., BLACKMAN, R. A. A., DAWSON, P. G., PENNY, M., and PENNY, C. M., Endemic birds of Seychelles, 157-76.
 GHANA, 246-51.
 GOSS-CUSTARD, J. D., Winter feeding ecology of *Tringa totanus*, 338-56.

- GOTTSCH, M. D., *see* NORMAN, F. I.
 GRIMES, L., *Tringa erythropus* in Ghana, 246-51.
- HARRIS, M. P., Age at breeding of *Diomedea irrorata*, 97-8.
 Food as a factor controlling breeding of *Puffinus lherminieri*, 139-56.
 HARWIN, R. H., Collecting of rare birds (letter), 113.
 HAVERSCHMIDT, F., *Zenaidura aurita* on Barbados, 613.
 HENDRICKSON, H. T., Egg white proteins of Gruiformes, 80-91.
 HOFF, K. M., *see* HUDSON, G. E.
 HORNBY, R. J., *see* BELL, B. D.
 HUDSON, G. E., HOFF, K. M., BERGE, J. V., and TRIVETTE, E. C., Numerical study of wing and leg muscles of Lari and Alcae, 459-524.
 HUDSON, R., *see* SPENCER, R.
 HUMPHRIES, D. A., *see* DRIVER, P. M.
- INDIAN OCEAN, 157-76.
- KENYA, 300-7, 390-1, 593-8.
 KUMERLOEVE, H., *Oenanthe leucomela* in Asia Minor, 238-9.
Passer moabiticus in Turkey and Syria, 617-8.
- LACK, D., Drift migration: a correction, 253-5.
 LEBANON, 620-1.
- MACKWORTH-PRAED, C. W., Union Medallist, 429.
 MALAYSIA, 609-11.
 MALTA, 322-37.
 MCNEIL, R., Two ovaries in *Catoptrophorus semipalmatus*, 92-3.
 MEAD, C. J., *see* SPENCER, R.
 MEDWAY, LORD, and WELLS, D. R., Dark orientation in *Collocalia gigas*, 609-11.
 MERNE, O. J., *see* NEWELL, R. G.
 MERTENS, J. A. L., Influence of brood-size on metabolism of nestling *Parus major*, 11-6.
 Metabolism, 11-6.
 Migration,
 Drift, 253-5.
 Malta, 322-37.
 Mechanics, 525-56
 Morocco, 1-10.
 Radar studies, 48-79.
 Sahara, 405.
 Weights, 1-10, 621-4.
 MILNE, H., Eider biology (abstract), 278.
 MODHA, M. L., and COE, M. J., Breeding of African Skimmer on Lake Rudolf, 593-8.
 MOREAU, R. E., Ducks over E. Sahara, 405.
 Comparative weights of trans-Saharan migrants at intermediate points, 621-4.
 MOREAU, W. M., HUBBARD and SEYMOUR on recent Egyptian records (letter), 257.
 MOROCCO, 1-10.
 Morphology,
 Lari and Alcae, 459-524.
- NELSON, J. B., Breeding behaviour of *Sula sula*, 357-385.
 NEWELL, R. G., MERNE, O. J., and EVANS, P. H. G., Survey of sea-birds off S.W. Ireland (report), 279-280.
 NIELSEN, B. P., and CHRISTENSEN, S., Autumn migration of eagles and buzzards in Middle East, 620-1.
 NIGERIA, 98-101.
 NORMAN, F. I., and GOTTSCH, M. D., Artificial twinning in *Puffinus tenuirostris*, 391-3.
 NOTTEBOHM, F., Critical period for song-learning, 386-7.
- Obituary,
 THOMSON, Lady, 256.
 Orientation,
 Collocalia gigas, 609-11.
- PANAMA, 241-3.
 PARSLow, J. L. F., Migration of night migrants studied by radar, 48-79.
 PATTERSON, I. J., Study of Rook populations (abstract), 278-9.
 PAYNE, R. B., Nest parasitism of *Passer eminibey*, 300-7.
 PENNY, C. M., *see* GAYMER, R.
 PENNY, M., *see* GAYMER, R.
 PENNYCUICK, C. J., Mechanics of bird migration, 525-56.
 PETTET, A., Feeding association of *Aerops albicollis* and *Cinnamopteryx castaneofuscus* with Squirrel, 98-101.
 PORTUGAL, 614.
 PRIGOGINE, A., Polymorphism of *Diaphorophya concreta*, 95-7.
 RIPLEY, S. D., *Butorides striatus* in Chagos Archipelago, 101-2.
 ROBEL, R. J., Nesting activities of *Lyrurus tetrix*, 395-9.
- SAHARA, 405.
 SEEL, D. C., Ecology of nestling *Passer domesticus*, 36-47.
 SEYCHELLES, 157-76.
 SHORT, L. L., Three sympatric species of Rhinocryptidae in Argentina, 239-40.
 SMITH, N. G., Polymorphism in Ringed Plover, 177-88.
 SMITH, N. G., Hunting technique of *Micrastur falcons*, 241-243.
 SNOW, B. K., and SNOW, D. W., Observations on *Larus fuliginosus*, 30-5.
 Song,
 Fringella coelebs, 386-7.
 SOUTH AFRICA, 281-92.
 SOUTHERN, H. N., Prey taken by *Strix aluco* in breeding season 293-9.
 SPENCER, R., HUDSON, R., and MEAD, C. J., Collecting of rare birds (letter), 258.
 STEYN, P., *see* BENSON, C. W.
 STONEHOUSE, B., *Aptenodytes forsteri* at Franklin Island, Antarctica, 627-8.
 STUART IRWIN, M. P., *see* BENSON, C. W.
 SYRIA, 617-8.

- TICKELL, W. L. N., Plumage change in young albatrosses, 102-5.
- TINBERGEN, N., Godman-Salvin Medallist, 429.
- TRINIDAD and TOBAGO, 251-3.
- TRIVETTE, E. C., *see* HUDSON, G. E.
- TURKEY, 617-8, 620-1.
- URBAN, E. K., *see* BROWN, L. H.
- VERMEER, K., Endoparasitic variation between *Larus californicus* and *L. delawarensis*, 393-5.
- VICENTE, R. O., *Estrilda troglodytes* in Portugal, 614.
- VOOUS, K. H., Plea for list of Holarctic bird species, 106-12.
- VUILLEUMIER, F., Field notes on birds of Bolivian Andes, 599-608.
- WARD, P., Recording of nesting visits by radioactive tagging, 93-5.
- WEST INDIES, 251-3, 613.

Mr. M. O. Lister, who for years prepared the very full Index of Authors and Subjects and was looking forward to continuing to do so in his retirement, died on 10 March, 1969. The shorter Index to Vol. III has been prepared by the Editor.



Digitized by the Internet Archive
in 2024

https://archive.org/details/ibis_1969_111_index

INDEX OF SCIENTIFIC NAMES

- aalge, *Uria*, 193, 197, 279, 461, 469 (Fig. 3), 482 (Figs. 15, 16, 17).
 abbotti, *Sula*, 357, 379.
 abdimii, *Sphenorynchus*, 208.
 abellus, *Mergus*, 108.
Acanthis flammea, 109.
Accipiter gentilis, 92.
 — *niscus*, 42, 92, 93, 330, 619.
acredula, *Phylloscopus t.*, 55, 451.
Acridotheres fuscus, 162.
 — *tristis*, 159, 162, 176.
Acrocephalus arundinaceus, 2, 332, 449.
 — *dumetorum*, 451.
 — *fuscus*, 451.
 — *schoenobaenus*, 2, 6, 51, 325, 332, 449, 611.
 — *scirpaceus*, 2, 52, 332, 449.
Actophilornis, 466, 485.
actophilus, *Butorides s.*, 102.
acutipennis, *Chordeiles*, 401.
adamsii, *Columbus*, 108.
 — *Gavia*, 107.
adeliae, *Pygoscelis*, 225, 627.
Aechmophorus occidentalis, 107.
aedon, *Troglodytes*, 45, 240, 603.
aegyptiacus, *Alopochen*, 208, 596.
aegyptius, *Pluvianus*, 451.
aeneus, *Molothrus*, 402.
aequinoctialis, *Procellaria*, 110.
Aeronautes andecolus, 600, 608.
Aerops albicollis, 24, 98, 558.
 — *boehmi*, 24, 558.
aeruginosus, *Circus*, 176, 327, 332.
aethereus, *Phaethon*, 139.
Aethia, 197.
 — *cristatella*, 193.
 — *pusilla*, 193.
 — *pygmaea*, 193.
aethiopicus, *Threskiornis*, 208, 596.
affinis, *Apus*, 113.
 — *Tyto a.*, 176.
africanus, *Phalacrocorax*, 596.
 — *Pseudogyps*, 534.
Agapornis cana, 176.
Aglaeactis pamela, 603.
aglaiae, *Platypsaris*, 402.
Agriornis montana, 18.
Alauda arvensis, 329, 333.
alba, *Calidris*, 109, 451.
 — *Crocethia*, 109, 451.
 — *Gygis*, 155, 166.
 — *Motacilla*, 330.
 — *Tyto*, 176, 619.
albatrus, *Diomedea*, 107.
albescens, *Synallaxis*, 602.
albicollis, *Aerops*, 98, 558.
 — *Ficedula*, 332, 450.
 — *Merops*, 23, 452.
 — *Porzana*, 82.
 — *Zonotrichia*, 309.
albidulus, *Butorides s.*, 101.
albifrons, *Anser*, 108.
 — *Sterna*, 451, 460.
albiscapulata, *Thamnolaea*, 244.
albolimbatus, *Butorides s.*, 101.
albospecularis, *Copsychus*, 162.
albus, *Casmerodius*, 109, 248.
Alca torda, 193, 197, 461, 533, 539.
Alcedo atthis, 330, 331.
aldbarnus, *Bebrornis*, 160.
 — *Falco n.*, 164.
Alectoris barbara, 619.
Electroenas pulcherrima, 159, 175.
aleutica, *Ptychoramphus*, 189, 193, 461.
Alle alle, 533.
alle, *Plautus*, 193.
Alopochen aegyptiacus, 208, 596.
alpina, *Calidris*, 109, 451, 619.
 — *Erolia*, 109.
 — *Muscisaxicola*, 18.
aluco, *Strix*, 293, 299, 534.
 — *Syrnium*, 299.
Amandava subflava, 300.
Amadina fasciata, 300.
Amaurornis olivacea, 82.
 — *phoenicurus*, 82.
americana, *Fulica*, 82, 400.
americanus, *Merops v.*, 558.
amicta, *Nyctornis*, 558.
Ampelion rubrocristatus, 604.
amurensis, *Butorides s.*, 102.
anaethetus, *Sterna*, 166.
Anairetes parulus, 603.
Anas capensis, 208.
 — *carolinensis*, 109.
 — *clypeata*, 109.
 — *crecca*, 109.
 — *penelope*, 109.
 — *platyrhynchos*, 534.
 — *querquedula*, 108, 452.
andecolus, *Aeronautes*, 600, 608.
angolensis, *Monticola*, 290, 291.
annumbi, *Anumbius*, 602.
Anomalospiza imberbis, 300.
Anous, 460.
 — *stolidus*, 150.
Anser albifrons, 108.
 — *anser*, 108, 534.
 — *caerulescens*, 109.
Anser erythropus, 108.
ansorgei, *Dyaphorphyia*, 95.
anthoides, *Asthenes*, 602.
Anthus pratensis, 329.
 — *trivialis*, 2, 48, 176, 327, 332.
antiquum, *Synthliboramphus*, 193, 461.
Anumbius annumbi, 602.
Aphriza, 464.
apiaster, *Merops*, 2, 23, 288, 327, 333, 558, 592.
apivorus, *Pernis*, 327, 331, 620.
Aplonis, 388.
apricarius, *Charadrius*, 330.
Aptenodytes forsteri, 627.
Apus affinis, 113.
 — *apus*, 46, 327, 534.
 — *caffer*, 113, 258.
 — *pacificus*, 610.
 — *pallidus*, 451, 619.
 — *unicolor*, 619.
aquaticus, *Rallus*, 333.
Aquila chrysaetos, 202.
 — *clanga*, 620.
 — *pomarina*, 620.
 — *rapax*, 232.
aquila, *Fregata*, 533.
araea, *Falco*, 164, 175.
Aramides cajanea, 82.
Aramus, 88.
 — *scolopaceus*, 82, 90.
arboreus, *Passer d.*, 176.
Archilochus colubris, 533.
arctica, *Fratercula*, 190, 193, 197, 461, 534.
 — *Gavia*, 107.
Ardea cinerea, 108, 331, 596.
 — *goliath*, 596.
 — *herodias*, 149.
 — *purpurea*, 327, 331.
Ardeola ibis, 171, 175.
 — *ralloides*, 108.
Ardeotis kori, 534.
ardesiaca, *Melanophoyx*, 248.
Arenaria, 464.
argentatus, *Larus*, 33, 222, 443, 444, 460, 534.
armillata, *Fulica*, 82.
arnaudi, *Pseudonigrita*, 300.
arnotti, *Thamnolaea*, 245.
arundinaceus, *Acrocephalus*, 2, 332, 449.
arvensis, *Alauda*, 329, 333.
asiatica, *Zenaida*, 401.
Asio flammus, 139.
 — *galapagoensis*, 139.
 — *otus*, 613.
assimilis, *Puffinus*, 139, 155.
Asthenes anthoides, 602.
 — *dorbignyi*, 604.
 — *flammulata*, 18.
 — *modesta*, 603.
 — *pubibund*, 603.
astrild, *Estrilda*, 176.

- athertoni, *Nyctornis*, 558.
 atra, *Fulica*, 82, 325.
 atricapilla, *Sylvia*, 2, 51, 332, 619, 623.
 atricapillus, *Butorides* s., 175.
 — *Parus*, 309.
 atriceps, *Phrygilus*, 604.
 atricilla, *Larus*, 30, 460, 480 (Fig. 14).
 atrochalybeia, *Terpsiphone*, 173.
Attagis gayi, 18.
 atthis, *Alcedo*, 330, 331.
 aurantiostris, *Saltator*, 603.
 aurifrons, *Bolborhynchus*, 602.
Auripasser luteus, 307.
 aurita, *Zenaida*, 401, 613.
 auritus, *Podiceps*, 107.
 australis, *Melittophagus* g., 558.
 autumnalis, *Dendrocygna*, 400.
Aviceda cuculoides, 391.
 azarae, *Synallaxis*, 602.

badius, *Lanius* s., 2.
Balearica pavonina, 82.
bangweoloensis,
 Melittophagus v., 558.
 barbara, *Alectoris*, 619.
 barbatus, *Gypaetus*, 215, 236, 533.
 barklyi, *Coracopsis* n., 163, 175.
 baroli, *Puffinus* a., 155.
 bassana, *Sula*, 385, 534.
Batis molitor, 94.
Bebrornis alabranus, 160.
 — *mariae*, 160.
 — *rodericanus*, 160.
 — *sechellensis*, 159, 160, 175.
 — *typica*, 160.
 beema, *Motacilla* f., 450.
 beludschicus, *Merops* o., 558.
 bewsheri, *Terpsiphone*, 173.
 bicolor, *Phloethus*, 559.
 — *Rhyacornis*, 245.
 birmanus, *Merops* o., 558.
Blepharomerops ornatus, 559.
 — *superciliosus*, 559.
 boehmi, *Aerops*, 24, 558.
 — *Merops*, 24.
Bolborhynchus aurifrons, 602.
bolivianus, *Oreopsar*, 605.
 bollei, *Columba*, 619.
Bombylonax breweri, 558.
 bonelli, *Phylloscopus*, 2, 334, 534.
 borealis, *Calonectris* d., 251.
 — *Puffinus*, 108.
 borin, *Sylvia*, 2, 51, 285, 292, 449, 623.
Botaurus stellaris, 108.
brachydactyla, *Calandrella*, 324, 619.

Brachyramphus brevirostre, 193, 198.
 — *marmoratum*, 193, 198, 461.
brachyurus, *Idiopsar*, 606.
Branta bernicla, 108.
 — *canadensis*, 108.
 — *leucopsis*, 108.
brevipes, *Monticola*, 289, 291.
brevirostre, *Brachyramphus*, 193, 198.
brevirostris, *Collocalia*, 610.
breweri, *Bombylonax*, 558.
brunneicapillus, *Campylorhynchus*, 626.
Bubo bubo, 534.
 — *virginianus*, 18.
Bucanetes githagineus, 619.
buccinator, *Cygnus* c., 548.
bulleri, *Larus*, 447.
bullockoides, *Coccolarynx*, 559.
 — *Melittophagus*, 24, 558.
 — *Merops*, 24.
bullocki, *Coccolarynx*, 559.
 — *Melittophagus*, 24, 558.
 — *Merops*, 24, 612.
Burhinus, 464.
 — *oedinemus*, 325, 619.
Buteo, 176.
 — *buteo*, 331, 534, 620.
 — *galapagoensis*, 140.
 — *nitidus*, 400.
 — *polyosoma*, 18.
 — *rufinus*, 620.
Butorides striatus, 101, 108, 171, 175.
 — *sundevalli*, 31.

cabanisi, *Pseudonigrita*, 304.
cachinnans, *Gallinula* c., 400.
caerulescens, *Anser*, 109.
caeruleus, *Parus*, 243, 619.
caffer *Apus*, 113, 258.
caffra, *Cossypha*, 283.
cajanea *Aramides*, 82.
calandra, *Emberiza*, 325.
Calandrella, *brachydactyla*, 324, 619.
 — *cinerea*, 2.
Calidris alba, 109, 451.
 — *alpina*, 109, 451, 619.
 — *ferruginea*, 109, 619.
 — *pusillus*, 109.
 — *mauri*, 451.
 — *minuta*, 332, 619.
 — *pusillus*, 109.
 — *temminckii*, 619.
californianus, *Gymnogyps*, 534.
californicus, *Larus*, 393.
Calonectris, 110.
 — *diomedea*, 108, 251, 279.
campanisoma, *Chamaeza*, 240.
Campylorhynchus brunnei-
capillus, 626.
cana, *Agapornis*, 176.

canadensis, *Branta*, 108.
 — *Grus*, 82.
canicapilla, *Nigrita*, 100.
cannabina, *Carduelis*, 329, 331.
canorus, *Cuculus*, 176, 328.
cantarella, *Alauda* a., 333.
cantillans, *Sylvia*, 2, 334, 450.
canus, *Larus*, 444.
canzelae, *Dyaphorophya* c., 95.
Capella, 464.
 — *gallinago*, 109.
capensis, *Anas*, 208.
 — *Motacilla*, 288.
Caprimulgus europaeus, 324.
caprius, *Chrysococcyx*, 302.
carbo, *Phalacrocorax*, 108, 208, 331, 534, 596.
carbonaria, *Diglossa*, 603.
cardinalis, *Quelea*, 305.
Carduelis cannabina, 329, 331.
 — *carduelis*, 330, 619.
 — *chloris*, 309, 330.
 — *flammea*, 109.
 — *pinus*, 109.
 — *spinus*, 330.
Cariama cristata, 82.
carneipes, *Puffinus*, 153, 156.
carolina, *Porzana*, 82.
carolinensis, *Anas*, 109.
carunculatus, *Creadion*, 388.
 — *Sturnus*, 388.
caruni, *Sturnus*, 388.
Casmerodius albus, 109, 248.
cassini, *Mitrospingus*, 241.
castaneofuscus, *Cinnamopteryx*, 98.
castro, *Oceanodroma*, 139.
Catharacta maccornicki, 524.
 — *skua*, 279, 460, 523.
Catoptrophorus semipalmatus, 92.
cauta, *Diomedea*, 107.
cayanensis, *Leptodon*, 400.
Centurus pygmaeus, 401.
Cephus columba, 189, 193, 197, 461.
 — *grylle*, 189, 193, 461.
Cerchneis gracilis, 164.
Cercomela familiaris, 245.
Cercotrichas galactotes, 7.
Cerorhinca monocerata, 193, 461.
Certhia vestitaria, 388.
Chaetura cochinchinensis, 610.
 — *gigantea*, 610.
Chaimarrornis leucocephala, 244.
Chalcostigma olivaceum, 601, 608.
 — *stanleyi*, 21, 601.
Chamaeza campanisoma, 240.
Charadrius, 188, 464.
 — *apricarius*, 330.
 — *dubius*, 2, 451.
 — *hiaticula*, 177, 331.

- Charadrius leschenaultii*, 451.
 — *marginatus*, 451.
 — *pecuarius*, 451.
 — *semipalmatus*, 177, 400.
 — *squatarola*, 619.
 — *wilsonia*, 400.
Chen hyperborea, 109.
chimbrazo, *Oreotrochilus*, 17.
Chiroxiphia pareola, 441.
Chlidonias hybrida, 451.
 — *leucoptera*, 451.
 — *niger*, 330, 460, 617.
 — *nigra*, 617.
chloriceps, *Butorides* s., 102.
chloris, *Carduelis*, 309, 330.
chloropus, *Gallinula*, 82, 171, 175, 333, 400.
chlororhynchus, *Diomedea*, 107.
Chordeiles acutipennis, 401.
Choriotis kori, 88.
chrysaetos, *Aquila*, 202.
chrysocercus, *Merops* s., 452, 558.
Chrysococcyx caprius, 302.
chrysolaimus, *Dicrocercus* h., 558.
chrysostoma, *Diomedea*, 102, 107.
Ciconia ciconia, 108, 534.
 — *nigra*, 108.
Cinclodes excelsior, 18.
 — *fuscus*, 18.
cineraceus, *Circus*, 92.
cinerascens, *Circaetus*, 390.
cinerea *Ardea*, 108, 331, 596.
 — *Calandrella*, 2.
 — *Glareola*, 451.
 — *Motacilla*, 330, 619.
cinereocapilla, *Motacilla* f., 2, 334, 450.
cinereus, *Circaetus*, 390.
 — *Poliolimnas*, 82.
 — *Xenus*, 451.
cinnamomeiventris, *Thamno-*
laea, 244, 289, 291.
Cinnamopteryx castaneo-
fuscus, 98.
Circaetus cinerascens, 390.
 — *cinereus*, 390.
 — *fasciolatus*, 390.
 — *gallicus*, 390.
 — *pectoralis*, 390.
Circus aeruginosus, 176, 327, 332.
 — *cineraceus*, 92.
 — *cyaneus*, 327, 332.
 — *macrourus*, 327, 332.
 — *pygargus*, 332, 533.
cirrhatia, *Lunda*, 193, 461.
cirrocephalus *Larus* 232, 596.
clang, *Aquila*, 620.
Clangula hyemalis, 108.
cleopatra, *Merops*, o., 558.
clypeata, *Anas*, 109.
 — *Spatula*, 109.
coccinea, *Vestiaria*, 388.
Coccolarynx bullockoides, 559.
 — *bullocki*, 559.
 — *revoilii*, 559.
cochinchinensis, *Chaetura*, 610.
coelebs, *Fringilla*, 73, 253, 309, 386, 441, 619.
Colibri coruscans, 20.
Colinus virginianus, 441.
Collocalia, 159, 171.
 — *brevirostris*, 610.
 — *esculenta*, 610.
 — *francica*, 161, 175.
 — *fusciphaga*, 161.
 — *gigas*, 609.
 — *marginata*, 610.
 — *salangana*, 611.
collurio, *Lanius*, 287, 291, 623.
collybita, *Phylloscopus*, 2, 51.
colubris, *Archilochus*, 533.
Columba bollei, 619.
 — *guinea*, 208.
 — *livia*, 525.
 — *palumbus*, 444.
columba, *Cephus*, 189, 193, 197, 461.
columbianus, *Cygnus*, 534.
Columbina minuta, 401.
Colymbus adamsii, 108.
 — *ruficollis*, 107.
communis, *Sylvia*, 2, 51, 291, 332, 449, 451, 623.
Compospiza garleppi, 607.
concreta, *Dyaphorophya*, 95.
connectans, *Butorides* s., 102.
conspicillatus, *Pelecanus*, 199.
contra, *Butorides* s., 102.
Copsychus albospectabilis, 162.
 — *sularis*, 162.
 — *sechellarum*, 162, 175.
Coracopsis nigra, 163, 175.
 — *vasa*, 163.
corniculata, *Fratercula*, 193, 461.
cornuta, *Fulica*, 82.
coronata, *Thamnolaea*, 244.
corone, *Corvus*, 534.
coruscans, *Colibri*, 20.
corvina, *Terpsiphone*, 169, 175.
Corvus corone, 534.
 — *frugilegus*, 278, 444.
 — *monedula*, 444.
 — *rhypidurus*, 208, 231.
Cossypha, 245.
 — *caffra*, 283.
 — *cyanocampter*, 289.
 — *dichroa*, 284, 291.
 — *heuglini*, 281.
 — *natalensis*, 281, 291.
 — *niveicapilla*, 288.
 — *semirufa*, 289.
Coturnix coturnix, 176, 325, 331, 333, 441, 619.
Cranioleuca erythrops, 602.
crassirostris, *Hypsipetes*, 166, 175.
crassirostris, *Microscelis*, 166.
craveri, *Endomyschura*, 193.
Creadion carunculatus, 388.
Creagrus furcatus, 30.
crecca, *Anas*, 109.
crepitans, *Psophia*, 82.
Crex crex, 325, 333.
crispus, *Pelecanus*, 199.
cristata, *Cariama*, 82.
 — *Fulica*, 82.
cristatella, *Aethia*, 193.
cristatus, *Podiceps*, 107.
Crocethia alba, 109, 451.
crumeniferus, *Leptoptilos*, 202, 232, 236, 534.
cucullatus, *Plesiositagra*, 100.
cuculoides, *Aviceda*, 391.
Cuculus canorus, 176, 328.
 — *poliocephalus*, 176.
curaeus, *Notiospar*, 615.
curruca, *Sylvia*, 51, 450, 623.
cursor, *Cursorius*, 619.
Cursorius, 464, 485.
 — *cursor*, 619.
curvirostra, *Loxia*, 322, 337.
cyaneus, *Circus*, 327, 332.
cyanocampter, *Cossypha*, 289.
cyanophrys, *Merops* o., 558.
cyanopterus, *Pterophanes*, 603.
cyanostictus, *Melittophagus* p., 558.
Cyanosylvia, *svecica*, 7.
Cyclorhynchus psittacula, 190, 193, 197.
Cygnus columbianus, 534, 539.
 — *cygnus*, 109, 534, 548.
 — *olor*, 108.
cygnus, *Olor*, 109.
cyprica, *Oenanthe* l., 238.
dactylatra, *Sula*, 108, 360, 385.
degens, *Butorides* s., 102, 171, 175.
delawarensis, *Larus*, 393, 460, 478 (Figs. 5, 6, 7, 8), 480 (Figs. 9, 10, 11, 12).
Delichon urbica, 2, 19, 333.
Demigretta gularis, 248.
Dendragapus, 474.
Dendrocopos major, 619.
Dendrocygna autumnalis, 400.
Dendroica pensylvanica, 242.
dichroa, *Cossypha*, 284, 291.
Dicrocercus hirundineus, 24, 588.
didii, *Butorides* s., 101.
Diglossa carbonaria, 603.
Diomedea albatrus, 107.
 — *cauta*, 107.
 — *chlororhynchus*, 107.
 — *chrysostoma*, 102, 107.
 — *epomophora*, 97, 107.
 — *exulans*, 105, 107, 533.

- Diomedea immutabilis*, 97.
 — *immutabilis*, 104, 107, 392.
 — *irrorata*, 97, 151, 155.
 — *melanophris*, 102, 107.
 — *nigripes*, 97, 107.
diomedea, *Calonectris*, 108, 251, 279.
 —, *Procellaria*, 108.
 —, *Puffinus*, 108, 110.
Dissoura episcopus, 217.
Diuca speculifera, 606.
dombrowskii, *Motacilla* f., 450.
domesticus, *Passer*, 7, 36, 46, 176, 300, 305, 309, 445, 534.
dominicus, *Podiceps*, 107.
dorbignyi, *Asthenes*, 604.
dorsalis, *Phrygilus*, 607.
Dromas, 489.
dubius, *Charadrius*, 2, 451.
dumetorum, *Acrocephalus*, 451.
dussumieri, *Nectarinia*, 166, 175.
Dyaphorophya ansorgei, 95.
 — *concreta*, 95.
 — *graueri*, 95.

ecaudatus, *Terathopius*, 391.
Egretta garzetta, 108, 248, 618.
 — *gularis*, 618.
 — *thula*, 618.
elaphra, *Collocalia* f., 161, 175.
Emberiza calandra, 325.
 — *hortulana*, 2, 329, 334.
 — *schoeniclus*, 402.
eminibey, *Passer*, 300.
Endomychura craveri, 193, 198.
 — *hypoleuca*, 193.
episcopus, *Dissoura*, 217.
epomophora, *Diomedea*, 97, 107.
epops, *Upupa*, 2, 328, 619, 623.
Ereunetes mauri, 400.
 — *pusillus*, 109.
Eriocnemis vestipedes, 21.
Erithacus rubecula, 51, 330, 619.
Erolia, 464.
 — *alpina*, 109.
 — *ferruginea*, 109.
 — *minutilla*, 401.
erythrocephala, *Pipra*, 441.
erythrocephalus, *Melittias*, 559.
erythronotus, *Phrygilus*, 607.
erythropus, *Cranioleuca*, 602.
 —, *Neocrex*, 82.
erythropus, *Anser*, 108.
 —, *Tringa*, 246, 619.
erythrorhynchus, *Pelecanus*, 199.

esculenta, *Collocalia*, 610.
estella, *Oreotrochilus*, 18.
Estrilda astrild, 176.
 — *subflava*, 300.
 — *trogodytes*, 614.
Eudromias morinellus, 330.
eupatria, *Psittacula*, 171.
Euplectes orix, 288.
europaeus, *Caprimulgus*, 324.
Eurypyga, 88.
 — *helias*, 82.
excelsior, *Cinclodes*, 18.
excubitor, *Lanius*, 619.
explorator, *Monticola*, 289.
exulans, *Diomedea*, 105, 107, 533.

falcinellus, *Plegadis*, 108.
Falco araea, 164, 175.
 — *gracilis*, 164.
 — *newtoni*, 164.
 — *peregrinus*, 534, 619.
 — *sparverius*, 18.
 — *subbuteo*, 331.
 — *tinnunculus*, 93, 327, 331, 534, 613, 619.
 — *vespertinus*, 332.
familiaris, *Cercomela*, 245.
fasciata, *Amadina*, 300.
 — *Rallina*, 82.
fasciolatus, *Circetus*, 390.
feldegg, *Motacilla* f., 2, 334, 449, 450.
ferruginea, *Calidris*, 109, 619.
 —, *Erolia*, 109.
Ficedula albicollis, 332, 450.
 — *hypoleuca*, 2, 51, 52, 329, 334, 450.
 — *parva*, 78.
finschii, *Oenanthe*, 239.
flammea, *Acanthis*, 109.
 —, *Carduelis*, 109.
flammeus, *Asio*, 139.
flammulata, *Asthenes*, 18.
flava, *Motacilla* f., 2, 48, 232, 332, 334, 432, 449, 450.
flavipes, *Totanus*, 109.
 —, *Tringa*, 109.
flavirostra, *Limmocorax*, 82.
flavirostris, *Rhynchops*, 451, 593, 598.
fluviatilis, *Locustella*, 257.
formosus, *Oporornis*, 242.
forsteni, *Meropogon*, 558.
forsteri, *Aptenodytes*, 627.
 —, *Sterna*, 460.
Foudia madagascariensis, 159, 165, 176.
 — *sechellarum*, 165, 175.
franca, *Collocalia*, 161, 175.
francolinus pintadeanus, 176.
fraseri, *Oreomanes*, 606.
Fratercula arctica, 190, 193, 197, 461, 534.
 — *corniculata*, 193, 461.
Fregata aquila, 533.
 — *minor*, 108.

frenatus, *Melittophagus* b., 558.
Fringilla coelebs, 73, 253, 309, 386, 441, 619.
 — *teydea*, 619.
Fringillaria tahapisii, 452.
frugilegus, *Corvus*, 278, 444.
fuciphaga, *Collocalia*, 161.
fulgens, *Dendrocygna* a., 400.
Fulica americana, 81, 400.
 — *armillata*, 82.
 — *atra*, 82, 325.
 — *cornuta*, 82.
 — *cristata*, 82.
 — *gigantea*, 82.
 — *rufifrons*, 82.
fulcarius, *Phalaropus*, 279.
fuliginiceps, *Leptasthenura*, 604.
fuliginosus, *Larus*, 30.
 —, *Rhyacornis*, 245.
Fulmarus glacialis, 108, 279, 534.
fulviventris, *Leptotila* v., 401.
fumicolor, *Ochthoeca*, 18.
furcatus, *Creagrus*, 30.
fusca, *Porzana*, 82.
fuscata, *Sterna*, 150, 155.
fuscater, *Turdus*, 603.
fuscus, *Acridotheres*, 162.
 —, *Acrocephalus*, 451.
 —, *Cinclodes*, 18.
 —, *Larus*, 331, 451, 596.

galactotes, *Cercotrichas*, 7.
galapagensis, *Haematopus* o., 32.
galapagoensis, *Asio*, 139.
 —, *Buteo*, 140.
gallicus, *Circetus*, 390.
Gallinago gallinago, 109.
 — *stricklandii*, 599, 608.
gallinago, *Capella*, 109.
 —, *Gallinago*, 109.
Gallinula chloropus, 82, 171, 175, 333, 400.
 — *tenebrosa*, 82.
gallopavo, *Meleagris*, 87.
Gallus, 468.
garleppi, *Compsospiza*, 607.
garzetta, *Egretta*, 108, 248, 618.
Gavia adamsii, 107.
 — *arctica*, 107.
 — *immer*, 107.
 — *pacifica*, 107.
 — *stellata*, 107.
gayi, *Attagus*, 18.
Gelochelidon nilotica, 460.
gentilis, *Accipiter*, 92.
Geopelia, 170.
 — *striata*, 176.
gigantea, *Chaetura*, 610.
 —, *Fulica*, 82.
gigas, *Collocalia*, 609.
githagineus, *Bucanetes*, 619.
glacialis, *Fulmarus*, 108, 279, 534.

- Glareola*, 485.
 — *cinerea*, 451.
 — *maldivarum*, 176.
 — *nordmanni*, 451.
 — *orientalis*, 176.
glareola, *Tringa*, 7.
glaucescens, *Larus*, 460, 468, 469 (Figs. 1, 2).
Glottis, *nebularis*, 248.
 — *stagnatilis*, 248.
goliath, *Ardea*, 596.
gracilis, *Cerchneis*, 164.
 —, *Falco*, 164.
graueri, *Dyaphorophya*, 95.
gravis, *Puffinus*, 152, 156, 252, 279.
grisegena, *Podiceps*, 107.
griseus, *Passer*, 300.
 — *Puffinus*, 139, 156, 279.
Grus canadensis, 82.
 — *grus*, 82, 329.
grylle, *Cephus*, 189, 193, 461.
guerinii, *Oxygogon*, 601, 608.
guinea, *Columba*, 208.
 —, *Sterna a.*, 451.
gularis, *Cuculus c.*, 176.
 —, *Demigretta*, 248.
 —, *Egretta*, 618.
 —, *Melittophagus*, 558.
 —, *Meropiscus*, 559.
guttata, *Taenopygia*, 387.
Gygis, *alba*, 155, 166.
Gymnogyps californianus, 534.
Gymnoscops, 167.
Gypaetus barbatus, 215, 236, 533.

Haematopus moquini, 257.
 — *ostralegus*, 32, 152, 155, 442, 444.
Halcyon leucocephala, 452.
 — *senegalensis*, 452.
Haliaeetus vocifer, 231.
haliaetus, *Pandion*, 331, 619.
hartert, *Dyaphorophya c.*, 95.
 —, *Schizoeaca*, 602.
helenae, *Paphosia*, 401.
helias, *Eurypyga*, 82.
Heliopais personata, 82.
herodias, *Ardea*, 149.
heterura, *Asthenes p.*, 603.
heuglini, *Cossypha*, 281.
 —, *Dicrocercus h.*, 558.
hiaticula, *Charadrius*, 177, 331.
Himantopus himantopus, 451.
Hippolais icterina, 450.
 — *pallida*, 450.
hirundineus, *Dicrocercus*, 24, 558.
 —, *Merops*, 24.
Hirundo rustica, 2, 327, 450, 623.
 — *smithii*, 41.
 — *urbica*, 534.

hirundo, *Sterna*, 533.
hispanica, *Oenanthe*, 238, 329, 334, 451.
hispaniolensis, *Passer*, 7, 42, 46, 307, 618.
Histrionicus histrionicus, 108.
Hoplopterus spinosus, 596.
hortensis, *Sylvia*, 334.
hortulana, *Emberiza*, 2, 329, 334.
hybrida, *Chlidonias*, 451.
Hydrobates pelagicus, 108, 279.
Hydrophasianus, 466.
Hydroprogne tschegrava, 331.
hyemalis, *Clangula*, 108.
 —, *Junco*, 625.
Hylocichla mustelina, 242.
hyperborea, *Chen*, 109.
hypocondriaca, *Poospiza*, 604.
hypoleuca, *Endomychura*, 193.
 —, *Ficedula*, 2, 51, 52, 329, 334, 450.
hypoleucos, *Tringa*, 2, 332, 451.
hypophaeus, *Platyparis a.*, 402.
Hypipetes crassirostris, 166, 175.
 — *madagascariensis*, 166.

iberiae, *Motacilla f.*, 2, 450.
ibis, *Ardeola*, 171, 175.
icterina, *Hippolais*, 450.
icterops, *Sylvia c.*, 451.
Idiopsar brachyurus, 606.
ignicapillus, *Regulus*, 51, 330.
imberbis, *Anomalospiza*, 300.
immer, *Gavia*, 107.
immutabilis, *Diomedea*, 97, 104, 107, 393.
impennis, *Pinguinus*, 193.
incredibilis, *Teratornis*, 546.
Indicator indicator, 452.
insularis, *Otus*, 159, 167, 175.
interrupta, *Columbina m.*, 401.
Irania, 245.
irrorata, *Diomedea*, 97, 151, 155.
Ispidina picta, 452.
Ixobrychus minutus, 108, 325.
 — *sinensis*, 171, 176.

Jacana, 466.
jamaicensis, *Laterallus*, 82.
jamesoni, *Gallinago s.*, 599.
 —, *Oreotrochilus c.*, 17.
japonica, *Coturnix c.*, 441.
javanicus, *Butorides s.*, 101.
jubatus, *Rhynochetos*, 82.
Junco hyemalis, 625.
Jynx torquilla, 2, 450.

kori, *Ardeotis*, 534.
 —, *Choriotis*, 88.
krameri, *Psittacula*, 171.
kuhlii, *Puffinus*, 108, 110, 251.
kumbaensis, *Dyaphorophya c.*, 95.
kungwensis, *Dyaphorophya c.*, 95.

lafresnayii, *Melittophagus*, 558, 592.
 —, *Merops*, 559.
Lagopus lagopus, 533, 626.
Lanius collurio, 287, 291, 623.
 — *excubitor*, 619.
 — *senator*, 2, 6, 330, 450.
Larus, 279.
 — *argentatus*, 33, 222, 443, 444, 460, 534.
 — *atricilla*, 30, 460, 480 (Fig. 14).
 — *bulleri*, 447.
 — *californicus*, 393.
 — *canus*, 444.
 — *cirrocephalus*, 232, 596.
 — *delawarensis*, 393, 460, 478 (Figs. 5, 6, 7, 8), 480 (Figs. 9, 10, 11, 12).
 — *fuliginosus*, 30.
 — *fuscus*, 331, 451, 596.
 — *glaucescens*, 460, 468, 469 (Figs. 1, 2).
 — *marinus*, 447.
 — *melanocephalus*, 331.
 — *minutus*, 92.
 — *philadelphia*, 460.
 — *pipixcan*, 460, 617.
 — *ridibundus*, 331, 444.
 — *sabini*, 279.
Laterallus jamaicensis, 82.
 — *melanophaius*, 82.
Leptasthenura fuliginiceps, 604.
 — *yanacensis*, 601, 604.
Leptodon cayanensis, 400.
Leptoptilos crumeniferus, 202, 232, 236, 534.
Leptotila verreauxi, 401.
leschenaulti, *Merops*, 558.
leschenaultii, *Charadrius*, 451.
leucocephala, *Chaimarrornis*, 244.
 —, *Halcyon*, 452.
 —, *Oxyura*, 108.
 —, *Thammolaea*, 245.
leucogaster, *Sula*, 108, 152.
leucomela, *Oenanthe*, 238, 246.
leucomelas, *Puffinus*, 110.
leucophrys, *Zonotrichia*, 387.
leucopsis, *Branta*, 108.
leucoptera, *Chlidonias*, 451.
 —, *Psophia*, 82.
leucorodia, *Platalea*, 108, 201.
lherminieri, *Puffinus*, 110, 139, 156, 252.

- Limnecorax flavirostra*, 82.
Limosa, 464.
 — *limosa*, 451.
lindenii, *Oxygon* g., 608.
lineata, *Sarothrura*, 82.
Lissotis melanogaster, 82.
livia, *Columba*, 525.
lobatus, *Lobipes*, 109.
 —, *Phalaropus*, 109.
Lobipes lobatus, 109.
Locustella fluviatilis, 257.
 — *luscinioides*, 451.
 — *naevia*, 52.
lomaensis, *Dyaphorophya* c., 95.
lomvia, *Uria*, 193, 198, 461.
lönnerbergi, *Catharacta* s., 523.
Lophæus occipitalis, 391.
loringi, *Melittophagus* v., 558.
Loxia curvirostra, 322, 337.
loyemilleri, *Puffinus* l., 252.
lucidus, *Phalacrocorax* c., 208.
Lunda cirrhata, 193, 461.
Luscinia luscinia, 623.
 — *megarhynchos*, 2, 6, 51, 324, 332, 450, 623.
 — *svecica*, 2, 332.
luscinioides, *Locustella*, 451.
luteus, *Auripasser*, 307.
 —, *Passer*, 305, 307.
lyra, *Uropsalis*, 600.
Lyrurus tetrix, 395.

maccormicki, *Catharacta*, 524.
macrourus, *Circus*, 327, 332.
maculirostris, *Muscisaxicola*, 18.
madagascariensis, *Foudia*, 159, 165, 176.
 —, *Hypsipetes*, 166.
 —, *Porphyrio*, 82.
magellanicus, *Scytalopus*, 239.
mahali, *Plocepasser*, 305–306.
mahe, *Nectarinia*, 166.
major, *Dendrocopus*, 619.
 —, *Parus*, 11, 152, 156, 243, 297, 308, 534, 625.
maldivarum, *Glareola*, 176.
malimbicus, *Merops*, 23, 558.
 —, *Tephraerops*, 559.
Malimbus rubricollis, 100.
Manacus manacus, 441.
 — *vitellinus*, 441.
mantelli, *Notornis*, 82.
marginata, *Collocalia*, 610.
marginatus, *Charadrius*, 451.
mariae, *Bebrornis*, 160.
marinus, *Larus*, 447.
marmoratum, *Brachyrhamphus*, 193, 198, 461.
martinica, *Porphyro*, 82.
mauri, *Calidris*, 451.
 — *Ereunetes*, 400.
maximus, *Thalasseus*, 460.
mayottensis, *Zosterops*, 159, 170, 175.
meadowaldoi, *Haematopus* m., 257.

*megalo*pterus, *Phalacroboenus*, 18.
megarhynchos, *Luscinia*, 2, 6, 51, 324, 332, 450, 623.
melanocephala, *Sylvia*, 2, 619.
melanocephalus, *Larus*, 331.
melanogaster, *Lissotis*, 82.
 —, *Turnix*, 82.
melanogrisea, *Motacilla* f., 450.
melanoleuca, *Oenanthe*, 334.
 —, *Tringa*, 109.
melanoleucus, *Totanus*, 109.
melanophaius, *Laterallus*, 82.
Melanophox ardesiaca, 248.
melanophris, *Diomedea*, 102, 107.
Melanoploceus tricolor, 100.
melanops, *Porphyrio*, 82.
melanoptera, *Metriopelia*, 18.
melanurus, *Passer*, 300.
Meleagris gallopavo, 87.
Melittias erythrocephalus, 559.
Melittophagus bullockoides, 24, 558.
 — *bullocki*, 24, 558.
 — *gularis*, 558.
 — *lafresnayii*, 558, 592.
 — *mülleri*, 558.
 — *pusillus*, 24, 558.
 — *revoilii*, 558.
 — *variegatus*, 24, 558, 592.
Melittotheres nubicus, 559.
melodia, *Melospiza*, 626.
Melopsittacus undulatus, 525.
Melospiza melodia, 626.
mentalis, *Melittophagus* m., 558.
 —, *Pipra*, 441.
merganser, *Mergus*, 108.
Mergus albellus, 108.
 — *merganser*, 108.
 — *serrator*, 108.
meridionalis, *Melittophagus* p., 558.
Meropiscus gularis, 559.
 — *mülleri*, 559.
Meropogon forsteni, 558.
Merops albigularis, 23, 452.
 — *apiaster*, 2, 23, 288, 327, 333, 558, 592.
 — *boehmi*, 24.
 — *bullockoides*, 24.
 — *bullocki*, 24, 612.
 — *hirundineus*, 24.
 — *lafresnayii*, 559.
 — *leschenaulti*, 558.
 — *malimbicus*, 23, 558.
 — *nubicoides*, 93, 558.
 — *nubicus*, 23, 100, 558.
 — *orientalis*, 24, 452, 558.
 — *ornatus*, 25, 558.
 — *pusillus*, 24, 452, 559.
 — *supercilliosus*, 452, 558, 591.
 — *variegatus*, 24, 559.
 — *viridis*, 558.
merriami, *Teratornis*, 546.

merula, *Turdus*, 245, 253, 615.
mesopotamicus, *Passer*, 617.
Metriopelia melanoptera, 18.
Micrastur mirandollei, 241.
 — *ruficollis*, 242.
 — *semitorquatus*, 241.
micromeris, *Chordeiles* a., 401.
Microscelis crassirostris, 166.
migrans, *Milvus*, 231, 331.
Milvus migrans, 231, 331.
 — *milvus*, 533, 619.
minor, *Fregata*, 108.
 —, *Parus* m., 11.
 —, *Phoeniconaias*, 204, 236.
minuta, *Calidris*, 332, 619.
 —, *Columbina*, 401.
minutilla, *Erolia*, 401.
minutus, *Ixobrychus*, 108, 325.
 —, *Larus*, 92.
mirandollei, *Micrastur*, 241.
Mitrospingus cassinii, 241.
moabiticus, *Passer*, 617.
modesta, *Asthenes*, 603.
 —, *Zosterops*, 169, 175.
moheliensis, *Hypsipetes* c., 166.
molitor, *Batis*, 94.
mollissima, *Somateria*, 108, 278.
Molothrus aeneus, 402.
monachus, *Necrosyrtes*, 534.
monedula, *Corvus*, 444.
monocerata, *Cerorhinca*, 193, 461.
montana, *Agriornis*, 18.
montanus, *Passer*, 36, 305, 307.
Monticola, 287.
 — *angolensis*, 290, 291.
 — *brevipes*, 289, 291.
 — *explorator*, 289.
 — *rupestris*, 289.
 — *saxatilis*, 324.
moquini, *Haematopus*, 257.
morinellus, *Eudromias*, 330.
morio, *Onychognathus*, 291.
Motacilla alba, 330.
 — *capensis*, 288.
 — *cinerea*, 330, 619.
 — *flava*, 2, 48, 232, 332, 334, 432, 449, 450.
 — *mülleri*, *Melittophagus*, 558.
 —, *Meropiscus*, 559.
Munia punctulata, 176.
murina, *Notiochelidon*, 21.
muscatensis, *Merops*, o., 558.
Muscicapa striata, 51, 329, 332, 623.
Muscisaxicola, 605.
 — *alpina*, 18.
 — *maculirostris*, 18.
Muscivora tyrannus, 309.
mustelina, *Hylocichla*, 242.
mutata, *Terpsiphone*, 169.
Myiopagis viridicincta, 608.
Myrmecocichla, 245.

- naevia, *Locustella*, 52.
 najdanus, *Merops* o., 558.
 natalensis, *Cossypha*, 281, 291.
 nativitatis, *Puffinus*, 152.
 nebouxii, *Sula*, 151, 357.
 nebularia, *Tringa*, 451, 619.
 nebularis, *Glottis*, 248.
 Necrosyrtes monachus, 534.
 Nectarinia dussumieri, 166, 175.
 — mahei, 166.
 Neocrex erythrops, 82.
 Neophron percnopterus 215, (Plate 10) 220, 237, 619.
 Netta rufina, 108.
 newtoni, *Falco*, 164.
 niger, *Chlidonias*, 330, 460, 617.
 nigra, *Chlidonias*, 617.
 —, *Ciconia*, 108.
 —, *Coracopsis*, 163, 175.
 nigricollis, *Podiceps*, 107.
 nigripes, *Diomedea*, 97, 107.
 Nigrita canicapilla, 100.
 nilotica, *Gelochelidon*, 460.
 nisoria, *Sylvia*, 78, 451.
 nisus, *Accipiter*, 42, 92, 93, 330, 619.
 nitidus, *Buteo*, 400.
 niveicapilla, *Cossypha*, 288.
 nordmanni, *Glaresola*, 451.
 Notiochelidon murina, 21.
 Notiospar curaeus, 615.
 Notornis mantelli, 82.
 nubicoideus, *Merops*, 93, 558.
 nubicus, *Melittophagus*, 559.
 —, *Merops*, 23, 100, 558.
 Numenius phaeopus, 451.
 Nycticorax nycticorax, 108, 327, 331.
 Nyctornis amicta, 558.
 — athertoni, 558.
 occidentalis, *Aechmophorus*, 107.
 —, *Pelecanus*, 201.
 occipitalis, *Lophætus*, 391.
 —, *Trigonoceps*, 232.
 oceanicus, *Oceanites*, 108.
 Oceanites oceanicus, 108.
 Oceanodroma castro, 139.
 ochruros, *Phoenicurus*, 51, 330, 334.
 Ochthoeca fumicolor, 18.
 ocularis, *Melittophagus* p., 558.
 oedincemus, *Burhinus*, 325, 619.
 Oenanthe, 188, 244.
 — finschii, 239.
 — hispanica, 238, 329, 334, 451.
 — leucomela, 238, 246.
 — melanoleuca, 334.
 — oenanthe, 8, 51, 324, 334, 450.
 — pleschanka, 238.
 — xanthopyrma, 246.
 olivacea, *Amaurornis*, 82.
 —, *Piranga*, 546.
 olivaceofuscus, *Terpsiphone*, 173.
 olivaceum, *Chalcostigma*, 601, 608.
 olivaceus, *Turdus*, 291.
 Olor cygnus, 109.
 olor, *Cygnus*, 108.
 onocrotalus, *Pelecanus*, 199, 200.
 Onychognathus morio, 291.
 opaca, *Hippolais* p., 450.
 Oporornis formosus, 242.
 oreobates, *Melittophagus* l., 558.
 Oreomanes fraseri, 606.
 Oreopsar bolivianus, 605.
 Oreotrochilus chimborazo, 17.
 — estella, 18.
 orientalis, *Glaresola*, 176.
 —, *Merops*, 24, 452, 558.
 —, *Phlothrus*, 559.
 Oriolus oriolus, 328, 333, 450.
 orix, *Euplectes*, 288.
 ornatus, *Blepharomerops*, 559.
 —, *Merops*, 25, 558.
 orri, *Osteodontornis*, 546.
 Ortygonax ryrhynchus, 82.
 Osteodontornis orri, 546.
 ostralegus, *Haematopus*, 32, 152, 155, 442, 444.
 Otis tarda, 82.
 Otus insularis, 159, 167, 175.
 — rutilus, 167.
 — scops, 2, 6, 176, 328, 623.
 otus, *Asio*, 613.
 Oxyopogon guerini, 601, 608.
 Oxyura leucocephala, 108.
 pacifica, *Gavia*, 107.
 pacificus, *Apus*, 610.
 Palaeornis wardi, 159.
 pallida, *Hippolais*, 450.
 pallidus, *Apus*, 451, 619.
 palpebrata, *Phoebetria*, 107.
 palumbus, *Columba*, 444.
 pamela, *Aglaeactis*, 603.
 panamensis, *Zenaidra* a., 401.
 Pandion haliaetus, 331, 619.
 Paphosia helenae, 401.
 paradisaea, *Sterna*, 443, 460.
 parasiticus, *Stercorarius*, 188, 279, 460.
 pareola, *Chiroxiphia*, 441.
 parulus, *Anairetes*, 603.
 Parus atricapillus, 309.
 — caeruleus, 243, 619.
 — major, 11, 152, 156, 243, 297, 308, 534, 625.
 parva, *Ficedula*, 78.
 —, *Porzana*, 82, 333.
 Passer domesticus, 7, 36, 46, 176, 300, 305, 309, 445, 534, — eminebey, 300.
 Passer griseus, 300.
 — hispaniolensis, 7, 42, 46, 307, 618.
 — luteus, 305, 307.
 — melanurus, 300.
 — mesopotamicus, 617.
 — moabiticus, 617.
 — montanus, 36, 305, 307.
 — yatii, 617.
 pavonina, *Balearica*, 82.
 pectoralis, *Circæus*, 390.
 pecuarius, *Charadrius*, 451.
 pelagicus, *Hydrobates*, 108, 279.
 Pelecanus conspicillatus, 199.
 — crispus, 199.
 — erythrorhynchus, 199.
 — occidentalis, 201.
 — onocrotalus, 199, 200.
 — philippensis, 201.
 — rufescens, 199.
 Peltodytes, 464.
 penelope, *Anas*, 109.
 peninsulae, *Zenaidra* a., 401.
 pensylvanica, *Dendroica*, 242.
 percnopterus, *Neophron*, 215, (Plate 10) 220, 237, 619.
 peregrinus, *Falco*, 534, 619.
 Pernis apivorus, 327, 331, 620.
 persicus, *Melittophagus* s., 558.
 personata, *Heliopsis*, 82.
 Petronia, 305, 306.
 Phacellodomus striaticeps, 604.
 phaeopus, *Numenius*, 451.
 phaeopygia, *Pterodroma*, 98.
 Phaethon aethereus, 139.
 Phalacrocorax africanus, 596.
 — carbo, 108, 208, 331, 534, 596.
 Phalaropus fulicarius, 279.
 — lobatus, 109.
 Phalcoboenus megalopterus, 18.
 philadelphia, *Larus*, 460.
 philippensis, *Pelecanus*, 201.
 philippinus, *Merops* s., 558.
 Philomachus frugnax, 232, 451.
 philomelos, *Turdus*, 330.
 Phlothrus bicolor, 559.
 — orientalis, 559.
 Phoebetria palpebrata, 107.
 Phoeniconaias minor, 204, 236.
 Phoenicopterus ruber, 108, 204, 225, 236, 237.
 Phoenicurus, 244.
 — ochruros, 51, 330, 334.
 — phoenicurus, 2, 51, 52, 329, 332, 449, 623.
 phoenicurus, *Amaurornis*, 82.
 Phrygilus atriceps, 604.
 — dorsalis, 607.
 — erythronotus, 607.
 — plebejus, 607.
 — unicolor, 18, 607.
 Phylloscopus, 329.
 — bonelli, 2, 334, 534.

- Phylloscopus collybita*, 2, 51.
 — *sibilatrix*, 2, 332, 450.
 — *trochilus*, 2, 51, 55, 332, 451, 623.
Phytotoma rutila, 604.
picta, *Ispidina*, 452.
picturata, *Streptopelia*, 168, 175, 176.
Pinguinus impennis, 193.
pintadeanus, *Francolinus*, 176.
pinus, *Carduelis*, 109.
 —, *Spinus*, 109.
pipixcan, *Larus*, 460, 617.
Pipra erythrocephala, 441.
 — *mentalis*, 441.
Piranga olivacea, 546.
plagiatus, *Buteo* n., 400.
Platalea leucorodia, 108, 201.
Platyparis aglaiae, 402.
platyrhynchos, *Anas*, 534.
Plautus alle, 193.
plebejus, *Phrygilus*, 607.
Plegadis falcinellus, 108.
pleschanka, *Oenanthe*, 238.
Plesiositagra cucullatus, 100.
Plocepasser mahali, 305–306.
Ploceus, 451.
 — *velatus*, 288.
Pluvialis, 188.
 — *squatarola*, 109, 451.
Pluvianus aegyptius, 451.
Podiceps auritus, 107.
 — *cristatus*, 107.
 — *dominicus*, 107.
 — *griseana*, 107.
 — *nigricollis*, 107.
 — *ruficollis*, 107, 208.
podiceps, *Podilymbus*, 107.
Podilymbus podiceps, 107.
poensis, *Spermestes*, 100.
Poliocephalus ruficollis, 107.
poliocephalus, *Cuculus*, 176.
 —, *Porphyrio*, 82.
Poliolimnas cinereus, 82.
polyosoma, *Buteo*, 18.
pomarina, *Aquila*, 620.
pomarinus, *Stercorarius*, 279, 460.
Poospiza hypochondriaca, 604.
Porphyrio madagascariensis, 82.
 — *poliocephalus*, 82.
Porphyriops melanops, 82.
Porphyryla martinica, 82.
Porzana albicollis, 82.
 — *carolina*, 82.
 — *fusca*, 82.
 — *parva*, 82, 333.
 — *porzana*, 333.
 — *pusilla*, 333.
pratensis, *Anthus*, 329.
pretiosa, *Terpsiphone* m., 169.
Procellaria aequinoctialis, 110.
 — *diomedea*, 108.
 — *puffinus*, 155.
Pseudogyps africanus, 534.
Pseudonigrita arnaudi, 300.
 — *cabanisi*, 304.
Psittacula eupatria, 171.
 — *krameri*, 171.
 — *wardi*, 159, 171, 175.
psittacula, *Cyclorhynchus*, 190, 193, 197.
Psophia, 88.
 — *crepitans*, 82.
 — *leucoptera*, 82.
Pterodroma phaeopygia, 98.
Pterophanes cyanopterus, 603.
Pteroptochos tarnii, 239.
Ptychoramphus aleutica, 189, 193, 461.
pudivunda, *Asthenes*, 603.
Puffinus assimilis, 139, 155.
 — *borealis*, 108.
 — *carneipes*, 153, 156.
 — *diomedea*, 108, 110.
 — *gravis*, 152, 156, 252, 279.
 — *griseus*, 139, 156, 279.
 — *kuhlii*, 108, 110, 251.
 — *leucomelas*, 110.
 — *lherminieri*, 110, 139, 156, 252.
 — *nativitatis*, 152.
 — *puffinus*, 110, 139, 155, 252, 279, 393, 534.
 — *tenuirostris*, 139, 155, 156, 391.
puffinus, *Procellaria*, 155.
pugnax, *Philomachus*, 232, 451.
pulcherrima, *Alectroenas*, 159, 175.
punctulata, *Munia*, 176.
purpurea, *Ardea*, 327, 331.
pusilla, *Aethia*, 193.
 — *Porzana*, 333.
pusillus, *Calidris*, 109.
 —, *Ereunetes*, 109.
 —, *Melittophagus*, 24, 558.
 —, *Merops*, 24, 452, 559.
pygargus, *Circus*, 332, 533.
pygmaeus, *Centurus*, 401.
Pygoscelis adeliae, 225, 627.
Pyrrhula pyrrhula, 243.
Quela cardinalis, 305.
Quelea quelea, 451.
querquedula, *Anas*, 108, 452.
quinticolor, *Merops* l., 558.
Rallina fasciata, 82.
ralloides, *Ardeola*, 108.
Rallus aquaticus, 333.
 — *limicola*, 82.
 — *longirostris*, 82.
 — *philippensis*, 82.
 — *striatus*, 82.
rapax, *Aquila*, 232.
Regulus ignicapillus, 51, 330.
 — *regulus*, 51, 330.
revouilli, *Collocalarynx*, 559.
 —, *Melittophagus*, 558.
Rhinocorax rhipidurus, 596.
Rhinoptilus, 464, 485.
rhipidurus, *Corvus*, 208, 231.
 —, *Rhinocorax*, 596.
Rhyacornis bicolor, 245.
 — *fuliginosus*, 245.
Rhynochetos jubatus, 82.
ridibundus, *Larus*, 331, 444.
Riparia riparia, 2, 331, 333, 449.
Rissa tridactyla, 279, 442, 460, 539.
rochii, *Cuculus* p., 176.
rodericanus, *Bebrornis*, 160.
roseus, *Pelecanus* o., 200, 235.
rostrata, *Streptopelia* p., 168.
Rostratula, 464.
rubecula, *Erethacus*, 51, 330, 619.
 —, *Scelorchilus*, 239.
ruber, *Phoenicopterus*, 108, 204, 225, 236, 237.
rubetra, *Saxicola*, 51, 324.
rubricollis, *Malimbus*, 100.
rubricornis, *Centurus* p., 401.
rubrocristatus, *Ampelion*, 604.
rufa, *Sarothrura*, 82.
rufescens, *Pelecanus*, 199.
ruficollis, *Colymbus*, 107.
 —, *Micrastur*, 242.
 —, *Podiceps*, 107, 208.
 —, *Poliocephalus*, 107.
 —, *Tachybaptus*, 107.
ruffrons, *Fulica*, 82.
rufina, *Netta*, 108.
rufinus, *Buteo*, 620.
rufipennis, *Xolmis*, 604.
rupestris, *Monticola*, 289.
rustica, *Hirundo*, 2, 327, 450, 623.
rusticola, *Scolopax*, 92, 327, 534, 619.
rutenbergi, *Butorides* s., 101, *rutila*, *Phytotoma*, 604.
rutilis, *Otus*, 167.
Rynchops, 462, 474.
 — *flavirostris*, 451, 593, 598.
rytirhynchus, *Ortygonax*, 82.
sabini, *Larus*, 279.
 —, *Xema*, 615.
salangana, *Collocalia*, 611.
Saltator aurantirostris, 603.
salvadorii, *Merops* s., 558.
sandvicensis, *Sterna*, 109, 331.
 —, *Thalasseus*, 109.
Sarothrura lineata, 82.
 — *rufa*, 82.
saularis, *Copsychus*, 162.
saxatilis, *Monticola*, 324.
Saxicola rubetra, 51, 324.
 — *torquata*, 245, 330.

- Saxicoloides*, 245.
Scelorchilus rubecula, 239.
Schioeaca harterti, 602.
schoeniclus, *Emberiza*, 402.
schoenobaenus, *Acrocephalus*, 2, 6, 51, 325, 332, 449, 611.
scirpaceus, *Acrocephalus*, 2, 52, 332, 449.
scolopaceus, *Aramus*, 82, 90.
Scolopax rusticola, 92, 327, 534, 619.
scops, *Otus*, 2, 6, 176, 328, 623.
Scytalopus, 603.
—— *magellanicus*, 239.
sechellarum, *Copsychus*, 162, 175.
——, *Foudia*, 165, 175.
sechellensis, *Bebrornis*, 159, 160, 175.
segmentata, *Uropsalis*, 600, 608.
semiflava, *Zosterops m.*, 159, 170, 175.
semipalmatus, *Catoptrophorus*, 92.
——, *Charadrius*, 177, 400.
semirufa, *Cossypha*, 289.
——, *Thamnolaea*, 244.
semitorquatus, *Micrastur*, 241.
senator, *Lanius*, 2, 6, 330, 450.
senegalensis, *Halcyon*, 452.
——, *Otus s.*, 176.
serrator, *Mergus*, 108.
seychellarum, *Ardeola i.*, 171, 175.
——, *Gallinula c.*, 171, 175.
sibalsans, *Coracopsis n.*, 163.
sibilatrix, *Phylloscopus*, 2, 332, 450.
silvae, *Dyaphorphyia c.*, 95.
sinensis, *Ixobrychus*, 171, 176.
sipora, *Butorides s.*, 102.
skua, *Catharacta*, 279, 460, 523.
smithii, *Hirundo*, 41.
Somateria mollissima, 108, 278.
—— *spectabilis*, 108.
Sorella, 305.
sparverius, *Falco*, 18.
Spatula clypeata, 109.
spectabilis, *Somateria*, 108.
speculifera, *Diuca*, 606.
Spermestes poensis, 100.
Sphenorynchus abdimii, 208.
spinosus, *Hoplopterus*, 596.
Spinus pinus, 109.
spinus, *Carduelis*, 330.
spodiogaster, *Butorides s.*, 102.
Squatarola, 464.
—— *squatarola*, 109.
squatarola, *Charadrius*, 619.
——, *Pluvialis*, 109, 451.
——, *Squatarola*, 109.
stagnatilis, *Glottis*, 248.
stanleyi, *Chalcostigma*, 21, 601.
Steganopus, 464.
stellaris, *Botaurus*, 108.
stellata, *Gavia*, 107.
Stercorarius parasiticus, 188, 279, 460.
—— *pomarinus*, 279, 460.
Sterna, 617.
—— *albifrons*, 451, 460.
—— *anaethetus*, 166.
—— *forsteri*, 460.
—— *fuscata*, 150, 155.
—— *hirundo*, 533.
—— *paradisaea*, 443, 460.
—— *sandvicensis*, 109, 331.
Sternula, 487.
stolidus, *Anous*, 150.
Streptopelia picturata, 168, 175, 176.
—— *turtur*, 327.
striata, *Geopelia*, 176.
——, *Muscicapa*, 51, 329, 332, 623.
striaticeps, *Phacellodomus*, 604.
striatus, *Butorides*, 101, 108, 171, 175.
stricklandii, *Gallinago*, 599, 608.
Strix aluco, 293, 299, 534.
Sturnus carunculatus, 388.
—— *caruni*, 388.
—— *vulgaris*, 58, 243, 253, 321, 444, 534.
subalaris, *Puffinus l.*, 139.
——, *Syndactyla*, 602.
subbuteo, *Falco*, 331.
subflava, *Amandava*, 300.
——, *Estrilda*, 300.
subfurcatus, *Apus a.*, 113.
Sula abbotti, 357, 379.
—— *bassana*, 279, 385, 534.
—— *dactylatra*, 108, 360, 385.
—— *leucogaster*, 108, 152.
—— *neboxii*, 151, 357.
—— *sula*, 108, 152, 357, 385.
sundevalli, *Butorides*, 31.
superciliosus, *Blepharomerops*, 559.
——, *Merops*, 452, 558, 591.
svecica, *Cyanosylvia*, 7.
——, *Luscinia*, 2, 332.
sylvatica, *Turnix*, 82.
Sylvia atricapilla, 2, 51, 332, 619, 623.
—— *borin*, 2, 51, 285, 292, 332, 449, 623.
—— *cantillans*, 2, 334, 450.
—— *communis*, 2, 51, 291, 332, 449, 451, 623.
—— *curruca*, 51, 450, 623.
—— *hortensis*, 334.
—— *melanocephala*, 2, 619.
—— *nisoria*, 78, 451.
Synallaxis albescentis, 602.
—— *azarae*, 602.
Syndactyla subalaris, 602.
Synthliboramphus anti-quum, 193, 461.
Tachybaptus ruficollis, 107.
Tadorna tadorna, 108.
Taenopygia guttata, 387.
tahapisi, *Fringillaria*, 452.
tarda, *Otis*, 82.
tarnii, *Pteroptochos*, 239.
tectus, *Vanellus*, 232.
temminckii, *Calidris*, 619.
tenebrosa, *Gallinula*, 82.
tenuirostris, *Puffinus*, 139, 155, 391.
Tephraerops malimbicus, 559.
Terathopius ecaudatus, 391.
Teratornis incredibilis, 546.
—— *merriami*, 546.
Terpsiphone atrochalybeia, 173.
—— *bewsheri*, 173.
—— *corvina*, 169, 175.
—— *mutata*, 169.
—— *olivaceofuscus*, 173.
—— *viridis*, 452.
tetrix, *Lyrurus*, 395.
texensis, *Chordeiles a.*, 401.
teydea, *Fringilla*, 619.
Thalasseus maximus, 460.
—— *sandvicensis*, 109.
Thamnolaea albiscapulata, 244.
—— *arnotti*, 245.
—— *cinnamomeiventris*, 244, 289, 291.
—— *coronata*, 244.
—— *leucocephala*, 245.
—— *semirufa*, 244.
Thinocorus, 466, 485.
Threskiornis aethiopicus, 208, 596.
thula, *Egretta*, 618.
thunbergi, *Motacilla f.*, 2, 450.
tinnunculus, *Falco*, 93, 327, 331, 534, 613, 619.
tintillon, *Fringilla c.*, 619.
torda, *Alca*, 193, 197, 461, 533, 539.
Torgos tracheliotus, 232.
torquata, *Saxicola*, 245, 330.
torquilla, *Jynx*, 2, 450.
Totanus flavipes, 109.
—— *melanoleucus*, 109.
—— *totanus*, 109.
totanus, *Totanus*, 109.
——, *Tringa*, 109, 248, 338, 355, 619.
tracheliotus, *Torgos*, 232.
transcaspicus, *Passer h.*, 46.
tricolor, *Melanoploceus*, 100.
tridactyla, *Rissa*, 279, 442, 460, 539.
Trigonoceps occipitalis, 232.
Tringa erythropus, 246, 619.
—— *flavipes*, 109.
—— *glareola*, 7.
—— *hypoleucos*, 2, 332, 451.
—— *melanoleuca*, 109.
—— *nebularia*, 451, 619.
—— *totanus*, 109, 248, 338, 355, 619.

- tristis, *Acridotheres*, 159, 162, 176.
 trivialis, *Anthus*, 2, 48, 176, 327, 332.
 trochilus, *Phylloscopus*, 2, 51, 55, 332, 451, 623.
Troglodytes aedon, 45, 240, 603.
 — *troglodytes*, 51, 240, 257, 534.
troglodytes, *Estrilda*, 614.
tschegrava, *Hydroprogne*, 331.
tundrae, *Charadrius* h., 177.
Turdus fuscater, 603.
 — *merula*, 245, 253, 615.
 — *olivaceus*, 291.
 — *philomelos*, 330.
Turnix melanogaster, 82.
 — *sylvatica*, 82.
 — *varia*, 82.
 — *velox*, 82.
turtur, *Streptopelia*, 327.
typica, *Bebrornis*, 160.
tyrannus, *Muscivora*, 309.
Tyto alba, 176, 619.

undulatus, *Melopsittacus*, 525.
unicolor, *Apus*, 619.
 —, *Phrygilus*, 18, 607.
Upupa epops, 2, 328, 619, 623.
urbica, *Delichon*, 2, 19, 333, 534.

Uria aalge, 193, 197, 279, 461, 469 (Fig. 3), 482 (Figs. 15, 16, 17).
 — *lomvia*, 193, 198, 461.
Uropsalis lyra, 600.
 — *segmentata*, 600, 608.

Vanellus, 464.
 — *tectus*, 232.
 — *vanellus*, 73, 253, 327, 444, 534.
varia, *Turnix*, 82.
variegatus, *Melittophagus*, 24, 558, 592.
 —, *Merops*, 24, 559.
vasa, *Coracopsis*, 163.
velatus, *Ploceus*, 288.
velox, *Turnix*, 82.
verreauxi, *Leptotila*, 401.
vespertinus, *Falco*, 332.
Vestiaria coccinea, 388.
vestiaria, *Certhia*, 388.
vestipedes, *Eriocnemis*, 21.
virginianus, *Bubo*, 18.
 —, *Colinus*, 441.
viridicata, *Myiopagis*, 608.
viridis, *Terpsiphone*, 452.
viridissimus, *Merops* o., 558.
vitellinus, *Manacus*, 441.
vocifer, *Haliaeetus*, 231.
vulgaris, *Sturnus*, 58, 243, 253, 321, 444, 534.
vulpinus, *Buteo* b., 620.

wardi, *Palaeornis*, 159.
 —, *Psittacula*, 159, 171, 175.
wilsonia, *Charadrius*, 400.

xanthoprymna, *Oenanthe*, 246.
Xema sabini, 615.
Xenus cinereus, 451.
Xeptasthenura yanacensis, 608.
Xolmis rufipennis, 604.

yakutensis, *Phylloscopus*, 451.
yalensis, *Melittophagus* m., 558.
yanacensis, *Leptasthenura*, 601, 604.
 —, *Xeptasthenura*, 608.
yatii, *Passer*, 617.
yucatanensis, *Platypsaris* a., 402.

Zenaida asiatica, 401.
 — *aurita*, 401, 613.
Zonotrichia albicollis, 309.
 — *leucophrys*, 387.
Zosterops mayottensis, 159, 170, 175.
 — *modesta*, 169, 175.

CORRIGENDA

- P. 113 *Apus affinis* to read *Apus affinis*
P. 231 *Corax rhipidurus* to read *Corvus rhipidurus*
P. 232 *Larus cirrhocephalus* to read *Larus cirrocephalus*
P. 246 *Oenanthe xanthoprymna* to read *Oenanthe xanthoprymna*
P. 334 *Motacilla flava feldegg* to read *Motacilla flava feldegg*
P. 394 *Larus delawerensis* to read *Larus delawarensis*
P. 450 *Origin of migrants*. The sentence on lines 7-8 ("It is known . . .") refers to Sand Martins and should go after the sentence ending "still on passage", on line 5.
P. 451 *Rhynchops* to read *Rynchops*
P. 534 *Phylloscopus bonellii* to read *Phylloscopus bonelli*

